

STATEMENT OF WORK – PR9110790 – OBO/RDF – Food Equipment for CMR & DCR


Purpose: to provide food equipment for CMR and DCR

Dual Temp Upright Refrigerator/Freezer on wheels

Quantity: 1 EA

- Dimension: Not exceed 1200\*820\*2000 mm
- Temperature Range
  - o Refrigerator: 2 Celsius to 5 Celsius
  - o Freezer: -18 Celsius to -20 Celsius
- Defrost System
  - o Refrigerator: Circulated Air
  - o Freezer: Electric
- Voltage: 220 – 240V, 50Hz, 1 Ph
- Wiring: 2 WIRE + Earth (Ground), Three Prong Male Plug
- Material
  - o Interior: Stainless Steel No. 304
  - o Exterior: Stainless Steel No. 430
- Controller: Microprocessor with digital display
- 1 door for refrigerator and 1 door for freezer
- Caster: Swivel casters with front brakes
- Cylindrical lock system

Additional details as following pictures



Below brand and model meet our minimum requirement

- Koldtech Model DT-R21F21-2D-SP


\*\*Sellers are allowed to submit quotations for alternate items, provided those items meet all of the salient physical, functional, or performance characteristics specified by this solicitation.\*\*

### Upright Freezer on wheels

Quantity: 1 EA

- Dimension: Not exceed 650\*700\*1800 mm
- Temperature Range: -18 Celsius to -20 Celsius
- Defrost system: Electric
- Material
  - o Interior: Stainless Steel No. 304
  - o Exterior: Stainless Steel No. 430
- Voltage: 220 – 240V, 50Hz, 1 Ph
- Wiring: 2 WIRE + Earth (Ground), Three Prong Male Plug
- Controller: Microprocessor with digital display
- Caster: Swivel casters with front brakes
- Cylindrical lock system

Additional details as following pictures



Below brand and model meet our minimum requirement

- Koldtech Model AF18-2D-R-SP

\*\*Sellers are allowed to submit quotations for alternate items, provided those items meet all of the salient physical, functional, or performance characteristics specified by this solicitation.\*\*

### 4 Burners Gas Cooker & Gas Oven


Quantity: 2 EA

- Dimension: Not exceed 800\*700\*900 mm
  - o 400x600 mm and 1/1 GN grids/pans
- AISI 304 Stainless Steel worktop and front panels
- Nickel-plated cast iron high power burners with single or double crown activated by a valve tap with safety thermocouple and pilot light
- Oven chamber made of stainless steel with 3 level supports. Pressed door and counter door made of AISI 304 stainless steel
- Trays are completely removable
- High resistance door handle made of AISI 304 stainless steel of 20/10 thickness
- Adjustable thermostat from 160° to 280°
- Burners:

PR9110790 – OBO/RDF-Food Equipment for CMR & DCR

- 4 Burners: 7 KW
- Feet are adjustable

Additional details as following pictures



Below brand and model meet our minimum requirement

- Macros 700 Berto's model G7F4P+FG

\*\*Sellers are allowed to submit quotations for alternate items, provided those items meet all of the salient physical, functional, or performance characteristics specified by this solicitation.\*\*

6 Burners Gas Cooker & Gas Oven


Quantity: 1 EA

- Dimension: Not exceed 1200\*700\*900 mm
- Nickel-plated cast iron high power burners with single or double crown activated by a valve tap with safety thermocouple and pilot light. Cast iron grills.
- Trays are completely removable
- Gas static oven with self-stabilized flame burner positioned under the steel ribbed base
- Adjustable thermostat from 160° to 280°
- Oven chamber from stainless steel with 4-level supports. Pressed door and counter door made of AISI 304 stainless steel
- High resistance door handle of AISI 304 steel of 20/10 thickness.
- Adjustable feet.

Burners

- 3 Burners: 7 KW
- 3 Burners: 3.5 KW

Additional details as following pictures



Below brand and model meet our minimum requirement

- Macros 700 Berto's model G7F6P+T

\*\*Sellers are allowed to submit quotations for alternate items, provided those items meet all of the salient physical, functional, or performance characteristics specified by this solicitation.\*\*

Portable Food Warmer

Quantity: 1 EA

- Interior in all stainless steel
- Thermostat 130 Celsius
- Motor ventilator for a perfect spread of the heat (2 motors in the HVC 120 GN)
- Ventilated hot food warmers with double insulated walls to warm quickly and keep warm (130 Celsius) empty plates or garnished food preparation in GN container, without cutting the warm chain. Water tray for humidity control.
- Capacity at least 24 plates
- Dimension (Outside dimensions): Not exceed 800 x 460 x 925 mm
- Dimension (Inside dimensions): Not exceed 720 x 375 x 730 mm
- Voltage: 230V, 50Hz, 1 Ph
- Wiring: 2 WIRE + Earth (Ground), Three Prong Male Plug
- Weight: Not exceed 49 kg

Additional details as following pictures



Below brand and model meet our minimum requirement

- Roller Grill model HVC120GN

\*\*Sellers are allowed to submit quotations for alternate items, provided those items meet all of the salient physical, functional, or performance characteristics specified by this solicitation.\*\*

Electric Salamander Grill

Quantity: 1 EA

Description

PR9110790 – OBO/RDF-Food Equipment for CMR & DCR

- Dimension: Not exceed 600 x 580 x 585 mm
- Made of stainless steel
- Cooking grid is adjustable height in several positions
- Stainless steel heating elements
- Switch for the temperature regulation
- Switch for light operation
- Voltage: 220-240V, 50Hz, 1Ph
- Wiring: 2 WIRE + Earth (Ground), Three Prong Male Plug
- Weight: Not exceed 56 KG

Additional details as following pictures



Below brand and model meet our minimum requirement

- Salamanders Berto's model SA/E60-E

\*\*Sellers are allowed to submit quotations for alternate items, provided those items meet all of the salient physical, functional, or performance characteristics specified by this solicitation.\*\*

Decorative Carving Station

Quantity: 3 EA

Description

- Dimension: Not exceed 911 x 610 x 864-1168 mm
- Heated stone bases, post bases, and cutting
- Boards are made of foodsafe materials and
- Adjustable thermostat.
- 250 Watt Bulbs
- Come in four Swanstone Decorative Stone
- Colors: Gray Granite, Bermuda Sand, Night Sky or Sawgrass
- Freestanding or with a round or rectangular heated stone base
- Decorative lamp shade swivels to focus the light and heat on food products
- Heated base is controlled by an adjustable thermostat and power switch

PR9110790 – OBO/RDF-Food Equipment for CMR & DCR

- Height can be adjusted from the bottom of the lamp to top of the cutting board 365 to 660 mm
- 127 mm sneeze guard above base
- Voltage: 230V, Single phase, 50Hz
- Wiring: 2 WIRE + Earth (Ground), Three Prong Male Plug
- Weight: Not exceed 70KG

Additional details as following pictures



Below brand and model meet our minimum requirement

- Hatco model DCSB400-3624-2


\*\*Sellers are allowed to submit quotations for alternate items, provided those items meet all of the salient physical, functional, or performance characteristics specified by this solicitation. \*\*

2 Thai Burners Gas Range

Quantity: 1 EA

- Dimension: Not exceed 1,000\*600\*900 mm
- Stainless Steel Body & Hinge Door
- 2-Burner Range
  - o KB-5 size 10 inches
- Stainless Steel 304 Top Plate
- Stainless Steel 304 Bottom Shelf
- Contains both gas valve and pilot valve

Additional details as following pictures



Below brand and model meet our minimum requirement

- Somerville model THAIC-2


\*\*Sellers are allowed to submit quotations for alternate items, provided those items meet all of the salient physical, functional, or performance characteristics specified by this solicitation.\*\*

### Convection Oven

Quantity: 1 EA

- Dimension: Not exceed 890\*900\*970 mm
- Voltage: 380-400V/50Hz/3Ph
- Electrical power max.: 17.3 kW
- Wiring: 2 WIRE + Earth (Ground), Three Prong Male Plug
- Shelf capacity: 10 Tray
- Maximum temperature of 300°C
- Stainless steel oven cavity with rounded corners
- Integrated drain outlet

Additional details as following pictures



Below brand and model meet our minimum requirement

- Zanussi model FCF101E 240206

\*\*Sellers are allowed to submit quotations for alternate items, provided those items meet all of the salient physical, functional, or performance characteristics specified by this solicitation.\*\*

### Infrared Food Warmer (Lamp)

Quantity: 4 EA

- Dimension: 914\*152\*64 mm
- Voltage: 240V, 50Hz, 1Ph

## PR9110790 – OBO/RDF-Food Equipment for CMR & DCR

- Wiring: 2 WIRE + Earth (Ground), Three Prong Male Plug
- Provides ideal amount of heat for limited space operation, mounted 4" to 10" (102 to 254 mm) above target surface
- This emitter mounts into the standard 6" (152 mm)
- Deep aluminum housing

Additional picture as follow



Below brand and model meet our minimum requirement

- Hatco GRAIH-36

**\*\*Sellers are allowed to submit quotations for alternate items, provided those items meet all of the salient physical, functional, or performance characteristics specified by this solicitation.\*\***

### Delivery and Installation Service

- Items will be installed at DCR which locates on Rajdamri Road, Lumpini, Pathumwan, Bangkok and CMR which locates on Wireless Road, Lumpini, Pathumwan, Bangkok within specified period of performance.
- The vendor must demonstrate how to use all equipment when the installation is completed.
- The awarded vendor is responsible for wiring electrical cables if it is needed.

### Terms and Conditions

- Specification and pictures of proposed items are required as additional attachment.
- Period of Performance
  - o For custom-made product, all item shall be installed within 45 days after award.
  - o For imported product, all item shall be installed within 150 days after award.
  - o Working Hours: Monday – Friday (except Official Holidays of U.S. Embassy Bangkok), 08:00 – 16:00 hrs.
- Delivery and Installation

- The awarded contractor must deliver items and also install them at CMR and DCR. Additional cost such as delivery, installation, wiring charges, demonstration service must be specified in the quotation (if any).
- The awarded contractor is responsible for trash disposal following Thai Laws
- The awarded contractor must submit a name list of workers including their ID number, vehicle's details a week prior starting the job.
- Payment Term
  - Credit 30 days after installation.
- Local VAT Exemption
  - VAT Exemption document will be processed through Ministry of Foreign Affairs for the order which has the total price excludes VAT at or more than 5,000 THB for local VAT registered contractor under Section 82/3 of Thai Revenue Code only. The contractor will receive the document within 150 days after award the order.
- Shipping Instruction
  - Prospect vendors must indicate the point of origin for the shipment of goods. Please provide quotation with firm-fixed shipping charges, installation charges, wiring charges, demonstration services charges to following terms.
    - DDP (Delivery Duty Paid) Door-to Door – f.o.b. destination – shipping charges to our Receiving Office in Bangkok
    - Address: American Embassy, 120 Wireless Road, Lumpini, Pathumwan, Bangkok 10330
    - **\*\*For the vendor whose point of origin for the goods is outside of Thailand. Quoted price must include all clearance and potential demurrage costs, door to door.\*\***